ELSEVIER

Analytica Chimica Acta 550 (2005) 222–224

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Alonso, E., see Santos, J.L. 116
Aparicio, I., see Santos, J.L. 116
Ashtari, P.
—, Wang, K., Yang, X., Huang, S. and Yamini, Y.
Novel separation and preconcentration of trace amounts of copper(II) in water samples based on neocuproine modified magnetic microparticles 18

Bao, Y.
—, Everaert, J., Pietraszkiewicz, M., Pietraszkiewicz, O., Bohets, H., Geise, H.J., Peng, B.X. and Nagels, L.J.
Behaviour of nucleotides and oligonucleotides in potentiometric HPLC detection 130
Bengtsson, M., see Melander, C. 182
Bohets, H., see Bao, Y. 130
Bosch, E., see Ruiz, R. 210

Caetano, S.
—, Decaestecker, T., Put, R., Daszykowski, M., Van Bocxlaer, J. and Vander Heyden, Y.
Exploring and modelling the responses of electrospray and atmospheric pressure chemical ionization techniques based on molecular descriptors 92
Callejón, M., see Santos, J.L. 116
Cerdà, V., see Pons, C. 33
Chang, C.-N., see Chen, S.-Y. 156
Chen, S.-Y.
—, Chang, C.-N., Li, C.-L. and Tsai, S.-J.J.
Binary modifiers for the determination of zinc in pure copper and nickel-based alloy by longitudinal Zeeman electrothermal atomic absorption spectrometry 156
Chen, Z.
—, Ding, W., Ren, F., Liu, J. and Liang, Y.
A simple and sensitive assay of nucleic acids based on the enhanced resonance light scattering of zwitterionics 204
Cheng, G., see Pang, X. 13
Collier, A.
—, Wang, J., Diamond, D. and Dempsey, E.
Microchip micellar electrokinetic chromatography coupled with electrochemical detection for analysis of synthetic oestrogen mimicking compounds 107
Collins, C.H., see Faria, A.M. 137
Collins, K.E., see Faria, A.M. 137

Daszykowski, M., see Caetano, S. 92
Decaestecker, T., see Caetano, S. 92
Dempsey, E., see Collier, A. 107
Diamond, D., see Collier, A. 107
Ding, W., see Chen, Z. 204

Everaert, J., see Bao, Y. 130

Faria, A.M.
—, Magalhães, D.R., Collins, K.E. and Collins, C.H.
Characterization of zirconized silica supports for HPLC 137
Fernández, H., see Marchiando, N.C. 199
Fernández-Gutiérrez, A., see Salinas-Castillo, A. 53
Fernández-Sánchez, J.F., see Salinas-Castillo, A. 53
Fiamegos, Y.C.
— and Stalikas, C.D.
Phase-transfer catalysis in analytical chemistry 1
Forteza, R., see Pons, C. 33
Fukushima, T., see Min, J.Z. 173
Fung, Y., see Li, Y. 40

Geise, H.J., see Bao, Y. 130
Gorton, L., see Melander, C. 182
Gutiérrez, N., see Ortega-Avilés, M. 164

Huang, S., see Ashtari, P. 18
Hulth, S., see Strömberg, N. 61

Jiang, S.-J., see Ni, J.-L. 144
Jiménez-Reyes, M., see Ortega-Avilés, M. 164

Kachrimanis, K., see Kipouros, K. 191
Kato, M., see Min, J.Z. 173
Kavakli, C., see Malcı, S. 24
Kawanishi, H., see Min, J.Z. 173
Kipouros, K.
—, Kachrimanis, K., Nikolakakis, I. and Malamataris, S.
Quantitative analysis of less soluble form IV in commercial carbamazepine (form III) by diffuse reflectance fourier transform spectroscopy (DRIFTS) and lazy learning algorithm 191

Laurell, T., see Melander, C. 182
Li, C.-L., see Chen, S.-Y. 156
Li, F., see Zu, Y. 47
Li, L., see Liu, Z. 151
Li, R., see Pang, X. 13
Li, Y.
—, Wang, C., Sun, J., Zhou, Y., You, T., Wang, E. and Fung, Y.
Determination of dioxopromethazine hydrochloride by capillary electrophoresis with electrochemiluminescence detection 40
Liang, Y., see Chen, Z. 204
Liu, C.-C., see Ni, J.-L. 144
Liu, J., see Chen, Z. 204
Liu, Z.
—, Sun, H., Shen, S., Li, L. and Shi, H.
Simultaneous determination of total arsenic and total selenium in Chinese medicinal herbs by hydride generation atomic fluorescence spectrometry in tartaric acid medium 151
Lu, S., see Pang, X. 13

doi:10.1016/S0003-2670(05)01529-1

ELSEVIER

Analytica Chimica Acta 550 (2005) 222–224

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Alonso, E., see Santos, J.L. 116
Aparicio, I., see Santos, J.L. 116
Ashtari, P.
—, Wang, K., Yang, X., Huang, S. and Yamini, Y.
Novel separation and preconcentration of trace amounts of copper(II) in water samples based on neocuproine modified magnetic microparticles 18

Bao, Y.
—, Everaert, J., Pietraszkiewicz, M., Pietraszkiewicz, O., Bohets, H., Geise, H.J., Peng, B.X. and Nagels, L.J.
Behaviour of nucleotides and oligonucleotides in potentiometric HPLC detection 130
Bengtsson, M., see Melander, C. 182
Bohets, H., see Bao, Y. 130
Bosch, E., see Ruiz, R. 210

Caetano, S.
—, Decaestecker, T., Put, R., Daszykowski, M., Van Bocxlaer, J. and Vander Heyden, Y.
Exploring and modelling the responses of electrospray and atmospheric pressure chemical ionization techniques based on molecular descriptors 92
Callejón, M., see Santos, J.L. 116
Cerdà, V., see Pons, C. 33
Chang, C.-N., see Chen, S.-Y. 156
Chen, S.-Y.
—, Chang, C.-N., Li, C.-L. and Tsai, S.-J.J.
Binary modifiers for the determination of zinc in pure copper and nickel-based alloy by longitudinal Zeeman electrothermal atomic absorption spectrometry 156
Chen, Z.
—, Ding, W., Ren, F., Liu, J. and Liang, Y.
A simple and sensitive assay of nucleic acids based on the enhanced resonance light scattering of zwitterionics 204
Cheng, G., see Pang, X. 13
Collier, A.
—, Wang, J., Diamond, D. and Dempsey, E.
Microchip micellar electrokinetic chromatography coupled with electrochemical detection for analysis of synthetic oestrogen mimicking compounds 107
Collins, C.H., see Faria, A.M. 137
Collins, K.E., see Faria, A.M. 137

Daszykowski, M., see Caetano, S. 92
Decaestecker, T., see Caetano, S. 92
Dempsey, E., see Collier, A. 107
Diamond, D., see Collier, A. 107
Ding, W., see Chen, Z. 204

Everaert, J., see Bao, Y. 130

Faria, A.M.
—, Magalhães, D.R., Collins, K.E. and Collins, C.H.
Characterization of zirconized silica supports for HPLC 137
Fernández, H., see Marchiando, N.C. 199
Fernández-Gutiérrez, A., see Salinas-Castillo, A. 53
Fernández-Sánchez, J.F., see Salinas-Castillo, A. 53
Fiamegos, Y.C.
— and Stalikas, C.D.
Phase-transfer catalysis in analytical chemistry 1
Forteza, R., see Pons, C. 33
Fukushima, T., see Min, J.Z. 173
Fung, Y., see Li, Y. 40

Geise, H.J., see Bao, Y. 130
Gorton, L., see Melander, C. 182
Gutiérrez, N., see Ortega-Avilés, M. 164

Huang, S., see Ashtari, P. 18
Hulth, S., see Strömberg, N. 61

Jiang, S.-J., see Ni, J.-L. 144
Jiménez-Reyes, M., see Ortega-Avilés, M. 164

Kachrimanis, K., see Kipouros, K. 191
Kato, M., see Min, J.Z. 173
Kavakli, C., see Malcı, S. 24
Kawanishi, H., see Min, J.Z. 173
Kipouros, K.
—, Kachrimanis, K., Nikolakakis, I. and Malamataris, S.
Quantitative analysis of less soluble form IV in commercial carbamazepine (form III) by diffuse reflectance fourier transform spectroscopy (DRIFTS) and lazy learning algorithm 191

Laurell, T., see Melander, C. 182
Li, C.-L., see Chen, S.-Y. 156
Li, F., see Zu, Y. 47
Li, L., see Liu, Z. 151
Li, R., see Pang, X. 13
Li, Y.
—, Wang, C., Sun, J., Zhou, Y., You, T., Wang, E. and Fung, Y.
Determination of dioxopromethazine hydrochloride by capillary electrophoresis with electrochemiluminescence detection 40
Liang, Y., see Chen, Z. 204
Liu, C.-C., see Ni, J.-L. 144
Liu, J., see Chen, Z. 204
Liu, Z.
—, Sun, H., Shen, S., Li, L. and Shi, H.
Simultaneous determination of total arsenic and total selenium in Chinese medicinal herbs by hydride generation atomic fluorescence spectrometry in tartaric acid medium 151
Lu, S., see Pang, X. 13

doi:10.1016/S0003-2670(05)01529-1

Magalhães, D.R., see Faria, A.M. 137
Malamataris, S., see Kipouros, K. 191
Malcı, S.
—, Kavaklı, C., Tuncel, A. and Salih, B.
Selective adsorption, pre-concentration and matrix elimination for the determination of Pb(II), Cd(II), Hg(II) and Cr(III) using 1,5,9,13-tetrathiacyclohexadecane-3,11-diol anchored poly (*p*-chloromethylstyrene-ethyleneglycoldimethacrylate) microbeads 24
Malik, A., see Singh, K.P. 82
Marchiando, N.C.
—, Zón, M.A. and Fernández, H.
Determination of cercosporin (CER) phytotoxin isolated from infected peanut leaves by using adsorptive stripping square wave voltammetry 199
Melander, C.
—, Bengtsson, M., Schagerlöf, H., Tjerneld, F., Laurell, T. and Gorton, L.
Investigation of micro-immobilised enzyme reactors containing endoglucanases for efficient hydrolysis of cellodextrins and cellulose derivatives 182
Min, J.Z.
—, Toyo'oka, T., Kawanishi, H., Fukushima, T. and Kato, M.
Novel fluorescent asparaginyl-*N*-acetyl-D-glucosamines (Asn-GlcNAc) for the resolution of oligosaccharides in glycopeptides, based on enzyme transglycosylation reaction 173
Mohan, D., see Singh, K.P. 82
Murillo, G., see Ortega-Avilés, M. 164

Nagels, L.J., see Bao, Y. 130
Ni, J.-L.
—, Liu, C.-C. and Jiang, S.-J.
Determination of Ga, Ge, As, Se and Sb in fly ash samples by ultrasonic slurry sampling electrothermal vaporization inductively coupled plasma mass spectrometry 144
Nikolakakis, I., see Kipouros, K. 191

Ortega-Avilés, M.
—, Vandenabeele, P., Tenorio, D., Murillo, G., Jiménez-Reyes, M. and Gutiérrez, N.
Spectroscopic investigation of a '*Virgin of Sorrows*' canvas painting: A multi-method approach 164

Pang, X.
—, Cheng, G., Li, R., Lu, S. and Zhang, Y.
Bovine serum albumin-imprinted polyacrylamide gel beads prepared via inverse-phase seed suspension polymerization 13
Peng, B.X., see Bao, Y. 130
Pieper-Fürst, U.
—, Stöcklein, W.F.M. and Warsinke, A.
Gold nanoparticle-enhanced surface plasmon resonance measurement with a highly sensitive quantification for human tissue inhibitor of metalloproteinases-2 69
Pietraszkiewicz, M., see Bao, Y. 130
Pietraszkiewicz, O., see Bao, Y. 130
Pons, C.
—, Forteza, R. and Cerdà, V.
Multi-pumping flow system for the determination, solid-phase extraction and speciation analysis of iron 33
Put, R., see Caetano, S. 92

Ràfols, C., see Ruiz, R. 210
Ren, F., see Chen, Z. 204
Rosés, M., see Ruiz, R. 210

Ruiz, R.
—, Rosés, M., Ràfols, C. and Bosch, E.
Critical validation of a new simpler approach to estimate aqueous pK_a of drugs sparingly soluble in water 210
Salih, B., see Malcı, S. 24
Salinas-Castillo, A.
—, Fernández-Sánchez, J.F., Segura-Carretero, A. and Fernández-Gutiérrez, A.
Solid-surface phosphorescence characterization of polycyclic aromatic hydrocarbons and selective determination of benzo(*a*)pyrene in water samples 53
Santos, J.L.
—, Aparicio, I., Alonso, E. and Callejón, M.
Simultaneous determination of pharmaceutically active compounds in wastewater samples by solid phase extraction and high-performance liquid chromatography with diode array and fluorescence detectors 116
Schagerlöf, H., see Melander, C. 182
Segura-Carretero, A., see Salinas-Castillo, A. 53
Shang, E., see Zhang, W. 77
Shen, S., see Liu, Z. 151
Shi, H., see Liu, Z. 151
Shi, Y.-P., see Zhai, Z.-D. 123
Singh, K.P.
—, Malik, A., Singh, V.K., Mohan, D. and Sinha, S.
Chemometric analysis of groundwater quality data of alluvial aquifer of Gangetic plain, North India 82
Singh, V.K., see Singh, K.P. 82
Sinha, S., see Singh, K.P. 82
Stalikas, C.D., see Fiamegos, Y.C. 1
Stöcklein, W.F.M., see Pieper-Fürst, U. 69
Strömberg, N.
— and Hulth, S.
Assessing an imaging ammonium sensor using time correlated pixel-by-pixel calibration 61
Sun, H., see Liu, Z. 151
Sun, J., see Li, Y. 40

Tenorio, D., see Ortega-Avilés, M. 164
Tjerneld, F., see Melander, C. 182
Toyo'oka, T., see Min, J.Z. 173
Tsai, S.-J.J., see Chen, S.-Y. 156
Tuncel, A., see Malcı, S. 24

Van Bocxlaer, J., see Caetano, S. 92
Vandenabeele, P., see Ortega-Avilés, M. 164
Vander Heyden, Y., see Caetano, S. 92

Wang, C., see Li, Y. 40
Wang, E., see Li, Y. 40
Wang, J., see Collier, A. 107
Wang, K., see Ashtari, P. 18
Wang, T., see Zhai, Z.-D. 123
Warsinke, A., see Pieper-Fürst, U. 69
Wu, Y., see Zhang, W. 77

Xiang, B., see Zhang, W. 77

Yamini, Y., see Ashtari, P. 18
Yang, X., see Ashtari, P. 18
You, T., see Li, Y. 40

Zhai, Z.-D.
—, Shi, Y.-P. and Wang, T.
Development and validation of HPLC methods for enantioseparation of mirtazapine enantiomers at analytical and semipreparative scale using polysaccharide chiral stationary phases 123

Zhang, W.
—, Xiang, B., Wu, Y. and Shang, E.
Stochastic resonance is applied to quantitative analysis for weak chromatographic signal of glyburide in plasma 77
Zhang, Y., see Pang, X. 13
Zhou, Y., see Li, Y. 40
Zón, M.A., see Marchiando, N.C. 199
Zu, Y.
— and Li, F.
Characterization of the low-oxidation-potential electrogenerated chemiluminescence of tris(2,2′-bipyridine)ruthenium(II) with tri-n-propylamine as coreactant 47